Get the best, in every aspect

MCC Hot self-serve humidified displays with doors 4 shelves



Fri-Jado's MCC Food Displays offer you the best, in every aspect



Up to 75%* more product visibility thanks to clever design. Because seeing is buying.



Highest capacity in a small footprint: Up to 30% more display area saves valuable floor space.



Maximum food quality and safety, longer shelf life and less waste thanks to superior hot & cold holding technologies. Which at the same time save up to 50% on energy consumption and costs.



Combine hot & cold displays side by side or back-to-back and choose from a variety of other options: Self-serve, self-serve with glass doors or full serve, drop-in or floor models, 3 or 4 levels, a solid back or sliding glass doors for rear loading and holding technologies optimized for packaged and unpackaged food.



Made from 99% recyclable components in a solar-powered factory, and equipped with energy saving hot & cold holding technologies, the MCC range reduces environmental impact and lowers your energy bill.

* Compared to the competition according to global ISO standards - TDA ISO 23953



Four presentation levels



Hot Humidification technology

MCC Hot self-serve humidified with doors

Features

- 4-level heated and humidified self-serve display cabinet
- Designed for unpackaged products
- Self-closing glass doors on customer side
- 24, 36 or 48 inches wide
- Available with a solid back or as a rear loading model with mirror glass sliding doors on the operator side
- Available with underframe or as a drop-in version that can be integrated in any store concept
- Ready to plug in for quick and easy installation
- Underframe available in any RAL color
- Slim shelves with adjustable angle and height
- LED lighting with natural color reproduction on each shelf
- Hot Humidification technology extends shelf life of unpackaged food
- Energy saving hot air recirculation
- Humidification with automatic or manual water fill (solid back model can only be connected to an external water supply)
- Thermopane glass increased insulation
- Fixing system for price rails included
- Total presentation area:
 - MCC 24-4: 10.76 ft²
- MCC 36-4: 17.22 ft²
- MCC 48-4: 23.57 ft²

Accessories

Bumper (underframe models)
Caster set (underframe models)



Maximum food visibility





Models on underframe or drop-in version




	MCC 24-4 Hot self-serve FD	MCC 36-4 Hot self-serve FD	MCC 48-4 Hot self-serve FD
Width	23 5/8"	35 7/16"	47 1/4"
Depth	29 1/2"	29 1/2"	29 1/2"
Height on stand	55 7/8"	55 7/8"	55 7/8"
Height drop-in above worktop	33 1/16"	33 1/16"	33 1/16"
Weight net / gross	309 / 366 lbs	390 / 461 lbs	472 / 556 lbs
Voltage	1~ 208	1~ 208	1~ 208
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Power	1.73 kW	2.10 kW	2.81 kW
Max. nominal current	7.8 A	9.5 A	12.8 A
Electrical connection*	NEMA 6-20P	NEMA 6-20P	NEMA 6-20P
Door width**	20 3/16"	15 1/4"	21 3/16"


MCC Hot self-serve FD on underframe Solid back






Pass-through (rear loading)







MCC Hot self-serve FD drop-in


Solid back





Pass-through (rear loading)





Specifications and technical data are subject to amendment without notice.

These are basic drawings. For more detailed technical information, please refer to the installation manual at www.frijado.com.

The MCC Hot is ETL listed (meets UL standard 197, NSF standard 4 and CSA standard C22.2 No. 109).



Fri-Jado Inc. 1401 Davey Road Suite 100 Woodridge IL 60517 Toll free 877-374-5236 e-mail us.info@frijado.com www.frijado.com

 $^{*}$ Length power cord appr. 8 1/3 ft $*$ MCC 24: 1 door (left or right hinged), MCC 36: 2 doors, MCC 48: 2 doors